

TIS TITAN / TITANIA SERIES

Data Sheet Rev 3.2

Model: TIT-4G-BUS-K, TIT-4G-BUS-S

4-Gang Touch Panel



OVERVIEW

The Titan/Titania 4 Gang panel is a luxury wall-mounted panel with 4 touch buttons and RGB backlights behind each button. It can control lights, curtains, and scenes and can come engraved with any text.







TIS TITAN / TITANIA SERIES

4-Gang Touch Panel Model: TIT-4G-BUS-K, TIT-4G-BUS-S



		$\ 5$
CON	TROL	EVERYTHING

		PRODUCT SPECIFICATIONS		
ſ.	Touch	Active area Touch type	4 buttons Capacitive	
Ļ	Input	Temp sensor Dry inputs	Resistive temp sensor 2 Digital inputs	
Ţ	Output	Relay Switch	4 Relay outputs 3A	
TISBUS	TIS Bus	Number of devices on 1 line Bus voltage Current consumption	Max. 64 12-32 V DC <60 mA / 24 V DC	
۲	Protection		Reverse Polarity Protection ESD Protection	
Ø	Reaction time		approx. 20ms	
Ϊo	Mounting	Wall mount	with 2 screws on the back box (UK, Europe, US)	
<u>1000</u>	Connection terminal	Data and Digital Inputs Relay Channels	6 pushing pin type 1.5mm 4 pushing pin type 2.5 mm	
† ! †	Operating and display elements	Touch buttons Backlight TIS bus Upgrading	4 touch buttons for control 4 RGB indicators TIS protocol messages and commands Rs485 upgrade kit Rs485 upgrade kit	
¢°	Functions	1 Press Long Press Double click	ON/OFF/Scene Dim or turn up the lights Extra scene	
Ô	Weight	Without packaging	200 g	
÷	Dimensions (Width × Length × Height)	Titan with the cover Titania with the cover	90mm × 3mm × 86mm 66mm × 3mm × 110mm	
	Housing	Materials Casing color Internal Parts color IP rating	PC fire proof / Glass in front Aluminum, glass, or plastic frame Black IP 50	

United States of America. This company takes Intelligent System LLC in the United States of America. This company takes TIS Control Ltd. in other countries. All of the Specifications are subject to change without notice.

SUITE# 610. 860 NORTH DOROTHY DR RICHARDSON TX 75081.USA

RM 1502-p9 Easey CommBldg 253-261 Hennessy Rd Wanchai Hong Kong

www.tiscontrol.com

TIS TITAN / TITANIA SERIES

4-Gang Touch Panel Model: TIT-4G-BUS-K, TIT-4G-BUS-S





	PRODUCT SPECI		
Temperature range	Operation Storage Transport	-1060°C -2050°C -2575°C	
Air humidity		<80% non-condensing	
<mark>Titan 4G panel</mark> TIT-4G-BUS-K	Spot O Wall O Desk O Lamp O	u u u u u u u u u u u u u u	
Titania 4G panel TIT-4G-BUS-S	Spot O Wall O Desk O Lamp O		



Copyright © 2020 TIS, All Rights Reserved

United States of America. This company takes Intelligent System LLC in the United States of America. This company takes TIS Control Ltd. in other countries. All of the Specifications are subject to change without notice.

TEXAS INTELLIGENT SYSTEM LLC SUITE# 610. 860 NORTH DOROTHY DR RICHARDSON TX 75081.USA TIS CONTROL LIMITED RM 1502-p9 Easey CommBldg 253-261 Hennessy Rd Wanchai Hong Kong