

TIS TITAN / TITANIA SERIES

2.4" LCD Touch Panel

Model: TIT-TFT-BUS-K(3R), TIT-TFT-BUS-S(3R)

Data Sheet Rev 3.2







OVERVIEW

The Titan/Titania LCD panel is a luxury wall-mounted panel with 4 page layouts, each of which covers 3 commands (12 switches total), for limitless light control. It includes 2 pages for RGB color control, up to 8 air conditioning options, and 2 floor heating options, as well as controls for music, curtains, moods, and security. It can also monitor the energy meter, air quality, and weather station.

KEY BENEFITS

- Control your lights, dimmers, and RGB color.
- Thermostat for air conditioning control
- Arm different levels of your security system.
- + Control your music albums, songs, radio, and volume
- Open and close your motorized curtains and shades
- Set your favorite mood
- Monitor room air quality and outdoor weather
- Read your home energy meter's consumption. and cost

KEY FEATURES

- Touch panel with TFT LCD screen
- Very elegant flush wall mount
- Built-in temperature sensor
- Built-in buzzer for messages and alerts
- Built-in dry inputs and relays (optional)
- Works with TIS-BUS Protocol
- Available in different covers: plastic, black and white glass, aluminum
- Titan fits UK junction box; Titania fits US junction box

















TIS TITAN / TITANIA SERIES

2.4" LCD Touch Panel

Model: TIT-TFT-BUS-K(3R), TIT-TFT-BUS-S(3R)





		PRODUCT SPECIFICAT	TIONS
	LCD	Size Resolution Contrast Viewing direction	2.4" 240*320 Pixels 600 120 degree
£	Touch	Active area Touch type	2.5" Capacitive
Ł	Input	Temp sensor Dry inputs	Resistive temp sensor 2 Digital inputs
<u></u>	Output	Model with relay -3R	3 Relay outputs 5A
TISBUS	TIS Bus	Number of devices on 1 line Bus voltage Current consumption	Max. 64 12-32 V DC <60 mA / 24 V DC
9	Protection		Reverse Polarity Protection ESD Protection
()	Reaction time		approx. 20ms
To	Mounting	Wall mount	with 2 screws on the back box (UK, Europe, US)
===	Connection terminal	Data and Digital Inputs Relay Channels	6 pushing pin type 1.5mm 4 pushing pin type 2.5 mm
† ! †	Operating and display elements	LCD Touch buttons Backlight TIS bus Upgrading	TFT full color 2 touch buttons for menu selection 2 white indicators TIS protocol messages and commands Rs485 upgrade kit
O O	Functions	1 Press Long Press Double click	ON/OFF/Scene Dim or turn up the lights Extra scene
å	Weight	Without packaging	200 g
+	Dimensions (Width × Length × Height)	Titan with the cover Titania with the cover	90mm × 3mm × 86mm 66mm × 3mm × 110mm



TIS TITAN / TITANIA SERIES

2.4" LCD Touch Panel

Model: TIT-TFT-BUS-K(3R), TIT-TFT-BUS-S(3R)








	PRODUCT SPECI	PRODUCT SPECIFICATIONS		
Housing	Materials Casing color Internal Parts color IP rating	PC fire proof / Glass in front Aluminum, glass, or plastic frame Black IP 50		
Temperature range	Operation Storage Transport	-1060°C -2050°C -2575°C		

2 Air humidity <80% non-condensing









Titania TFT panel TIT-TFT-BUS-S-(3R)

